Palm Beach Renewable Energy Facility No. 1

Solid Waste Authority of Palm Beach County West Palm Beach, Florida

The Palm Beach Renewable Energy Facility (PBREF) No. 1 is a refuse-derived fuel (RDF) waste-to-energy (WTE) facility designed to reduce the volume of Palm Beach (Florida) County's wastes, generate electricity, and maximize the recovery of ferrous and nonferrous metals. The facility is owned by the Solid Waste Authority of Palm Beach County (SWA) and operated by Palm Beach Resource Recovery Corporation (PBRRC), a subsidiary of Babcock & Wilcox Power Generation Group, Inc. (B&W PGG).

B&W PGG, in a joint venture with Bechtel Corporation, engineered, procured and constructed the 2000 ton/day municipal solid waste (MSW) facility that went online in 1989. It includes two 324,000 lb/h steam capacity RDF

boilers, a 62 MW turbine/generator, and flue gas cleaning equipment, along with MSW processing, storage and recycling systems. B&W PGG also provided electrical, instrumentation and controls, and commissioning and performance testing.

The original 20-year operations and management contract with PBRRC ran from 1989 through 2009. SWA awarded B&W PGG a 20-year contract extension for PBRRC to operate and manage the facility through 2029.

B&W PGG also refurbished the two Stirling® power boilers at the facility by designing, supplying and fabricating critical boiler components including furnaces, superheaters, generating bank, economizer, air heater, combustion systems and steam drum internals.



PBREF No.1 peacefully coexists with the SWA Conservation Area and Rookery, a wildlife preserve that provides more than 300 acres of wetland habitat.



During its first 20-year operating period, PBREF No. 1 processed nearly 16 million tons of municipal solid waste, generated 6.9 billion kilowatts of net electrical output, and recovered more than 664,000 tons of ferrous metals and nearly 63,000 tons of nonferrous metals.


The furnace and combustion system of PBREF No. 1 incorporates a straight-walled furnace design with state-of-the-art PrecisionJet® overfire air system. The plant also features state-of-the-art emissions control equipment including dry scrubbers for acid gas control, fabric filters for particulate control, selective noncatalytic reduction (SNCR) system for nitrogen oxides (NO_X) control, and activated carbon injection for mercury control. This equipment makes PBREF No. 1 one of the cleanest WTE facilities in the United States.

Process description

Municipal solid waste, collected from homes and businesses in Palm Beach County, is delivered to transfer stations, then transported to the resource recovery facility. MSW is delivered inside a large building where hazardous and nonprocessible materials are removed. The remaining waste is loaded onto conveyors beginning the process of conversion into a usable fuel.

The processible waste first enters a flail mill for initial size reduction. Ferrous metals are removed by an overhead magnet. The material is then separated into three distinct streams: small, low-Btu material that is hauled to landfill; medium-sized, high-Btu material; and oversized, high-Btu material that is further shredded before joining the medium-sized material for use as the RDF fuel. Aluminum and other nonferrous metals are collected by eddy current separators for recycling.

The RDF is combusted in a furnace to create steam, which is used to generate up to 62 megawatts of electricity that is sold to Florida Power & Light. As a final recycling and waste reduction effort, both ferrous and nonferrous metals are extracted from the ash after combustion.



The refurbished Stirling® power boilers include new boiler components, combustion systems and steam drum internals for improved operation.

Facility highlights and facts

- The original design and construction project was completed two months ahead of schedule and within budget.
- PBREF No. 1 was the largest refuse-derived fuel WTE facility of its kind when commercial operations began in 1989.



Based on a successful 20-year operating history, SWA extended PBRRC's operations and management contract for an additional 20 years, through 2029.

- The facility annually processes 795,000 tons of municipal solid waste, providing renewable energy for approximately 30,000 homes.
- PBREF No. 1 recycles both ferrous and nonferrous metals while reducing the volume of disposed waste at SWA's landfill by more than 85%.
- For every ton of MSW processed at PBREF No. 1, one barrel of oil or one-quarter ton of coal is saved, and one ton of greenhouse gas emissions are avoided.

For the 20-year contract period ending September 2009, PBRRC achieved the following performance:


- The facility processed nearly 16 million tons of municipal solid waste, nearly 3.7 million tons or 30% above its waste processing commitment.
- The facility produced nearly 6.9 billion net kilowatts of electricity, more than 1 billion kilowatts or 17% above its electric output commitment.
- The facility recovered more than 664,000 tons of ferrous metals, more than 94,000 tons or 17% above its recovered ferrous guarantee.
- The facility recovered nearly 63,000 tons of nonferrous metals from landfill disposal.

PBREF No. 1 Details		
General		
Area served	Palm Beach County, Florida	
Ownership	Solid Waste Authority of Palm Beach County	
Construction	36 month contracted; 34 month actual	
Start-up	1989	
Operation and Management	Palm Beach Resource Recovery Corporation, a B&W PGG subsidiary	
Original O&M Contract	1989-2010	
Extended O&M Contract	Through 2029	

Waste Processing System	
MSW Capacity (2009)	2650 ton/day 795,000 ton/year
RDF Process Lines	3 at 50% capacity each

Steam / Power Productio	n
Boilers	2 B&W PGG Stirling power boilers
Feed System	Ram / Inclined conveyor / Air swept spout
Grate Design	Traveling grate
Primary Fuel	Refuse derived fuel
Auxiliary Fuel	Natural gas
Steam Capacity	324,000 lb/h (permitted – per boiler)
Electric Power Capacity	62 MW (combined); powers approximately 30,000 homes

Environmental Equipment		
Particulates	Fabric filter baghouses	
Acid gases (primarily sulfur and chlorine)	Dry scrubbers	
NO_X	Selective noncatalytic reduction	
Mercury	Powdered activated carbon (PAC)	





PBREF No. 1 was awarded the American Society of Mechanical Engineers (ASME) 2009 Large Waste-to-Energy Facility Recognition Award for outstanding performance among facilities in North America. The facility also received the 2009 Solid Waste Association of North America (SWANA) silver Excellence Award in the Waste-to-Energy facility category.

delivering

Babcock & Wilcox Power Generation Group, Inc.

20 S. Van Buren Avenue Barberton, Ohio 44203 USA Phone: 330.753.4511

Fax: 330.860.1886

The information contained herein is provided for general information purposes only and is not intended nor to be construed as a warranty, an offer, or any representation of contractual or other legal responsibility.

Stirling and PrecisionJet are trademarks of Babcock & Wilcox Power Generation Group, Inc.

© 2014 Babcock & Wilcox Power Generation Group, Inc. All rights reserved.

www.babcock.com









Babcock & Wilcox Power Generation Group, Inc. is a subsidiary of The Babcock & Wilcox Company (B&W). Established in 1867, B&W is a world leader in providing steam generating and emissions control equipment, nuclear operations and components, and defense program management services.

For more information, or a complete listing of our sales and service offices, call 1-800-BABCOCK (222-2625), send an e-mail to info@babcock.com, or access our website at www.babcock.com.

