

Plant Facts

Treats approx. 200,000 tonnes of waste annually produced by inhabitants and businesses in the southern Sweden region

Produces approx. 40% of the district heating water for 2,000 apartments and 8,500 villas in the Helsingborg district

Produces electricity for 7,500 villas

Steam conditions of 425 °C and 49 bar doubles the electrical efficiency of the former plant



The Filbornaverket waste-to-energy plant in Helsingborg produces steam, district heating and electricity. The plant was handed over to the customer Öresundskraft in early 2013.

The main fuel for Filbornaverket is combustible fractions of waste from households, industry and businesses. The plant uses the region's large quantities of combustible waste to produce electricity and district heating for the local grid.

- Burns approx. 200,000 tonnes of waste per year
- Thermal efficiency: 98%
- Investment in the plant: 1.85 billion SEK

Scope of supply

Babcock & Wilcox Renewable's (B&W's) project scope includes a Vølund™ technology combustion system with waste crane, steam

boiler with superheaters and economizers, electrical system, wet flue gas cleaning and flue gas cleaning condensation system with a heat pump.

The boiler is equipped with a water-cooled DynaGrate® combustion grate and an advanced combustion control system. The DynaGrate combustion grate is distinguished by its reliability and fuel flexibility to accommodate both high and low calorific fuels.

To reduce maintenance costs, the boiler design also includes water-cooled wear zones and panel walls protected with Inconel® weld overlay.

Inconel weld overlay is a strong, corrosion- and oxidation-resistant material that forms a thick, stable, oxide layer for surface protection. It is an investment that provides considerable long-term financial benefits.

continued ►

Sophisticated emissions control

B&W Environmental supplied the GMAB™ flue gas cleaning and energy recovery systems together with Alstom Power Sweden AB.

The latest technology for emissions control allows Filbörnaverket to achieve very low emissions levels — about half of what the EC Directive and the Swedish regulatory requirements specify.

Improved revenue and reduced greenhouse gas emissions are some of the benefits that come from extended energy recovery by condensation of the hot flue gases. In addition, energy recovery offers an economic incentive since the generated heat can be sold while improving the overall flue gas treatment.

The boiler, the combustion cleaning and flue gas cleaning systems are designed and project managed by in-house resources. The diversity of our capabilities allows us to provide a complete technology solution more efficiently and with higher quality.

We are able to offer our customers one of the most climate-friendly solutions in today's market.

What makes the Dynagrate® combustion grate special?

Advanced technology, known for maximum burnout and energy recovery

Ideal for combustion of all types of waste

Long lifetime



Photography: Fagerhult

Plant Data		
Process parameters	Values	Units
R1 value	1.41	–
Waste capacity (MCR)	27	t/h
Heat value, lower	10	MJ/kg
Steam output	88.7	t/h
Steam temperature	425	°C
Steam pressure	49	bar
Gross electric output	17	MW
District heating output	58	MW
Boiler outlet flue gas temp.	160	°C
Feed water temperature	130	°C

Flue gas values:*	Values**	Units
After cleaning		
NO _x **	80	mg/Nm ³
CO***	50	mg/Nm ³
NH ₃ **	5	mg/Nm ³
HCl**	5	mg/Nm ³
SO ₂ **	25	mg/Nm ³
Dioxin	0.05	ng/Nm ³

* Guaranteed values

** 24-hour average

*** Half-hour average

Babcock & Wilcox

Falkevej 2
DK-6705 Esbjerg Ø
Denmark
Phone: +45 76.14.34.00

www.babcock.com/volund    

The information contained herein is provided for general information purposes only and is not intended nor to be construed as a warranty, an offer, or any representation of contractual or other legal responsibility.

Vølund and DynaGrate are trademarks of The Babcock & Wilcox Company or its affiliates.



RENEWABLE | ENVIRONMENTAL | THERMAL

Established in 1867, Babcock & Wilcox is a global leader in renewable, environmental and thermal technologies and services for power and industrial applications.

For more information or to contact us, visit our website at www.babcock.com.