



Continuous monitoring with the UNICO system provides plant personnel with important real-time operating data, enabling them to make performance-enhancing operational decisions.

Babcock & Wilcox Environmental (B&W), through our SPIG™ product line, has always been committed to providing high quality products and outstanding service.

To help optimize plant performance, we have developed the UNICO<sup>TM</sup> online monitoring system to analyze critical operating performance data on cooling towers, air-cooled condensers and air fin coolers.

Cooling towers may suffer from clogging, mechanical damage or corrosion, while air-cooled systems may experience heat exchanger surface fouling, leakages and corrosion.

This continuous monitoring system analyzes and processes a wide range of parameters and equipment conditions, helping to optimize cooling plant efficiency, reduce maintenance costs, and avoid unscheduled outages. Continuous monitoring with the UNICO system provides plant personnel with important real-time operating data.

# Real-time data access via a smart system

The UNICO online monitoring system is based on a network of localized smart units that collect data, converts the information into digital form, and transmits to a supervisory system using wireless technology. The supervisory system validates and integrates the data in a single database. The system processes the acquired information to check process parameters, variability and equipment reliability. It also detects potential problems, generates alarms and determines counteractions which can help prevent loss of plant performance.

By presenting web-based data, the UNICO system's key performance indicators are remotely available anywhere in the world with Internet access.

All information from the UNICO system is securely accessible via the web, where graphs and tables display performance trends and parameters, operational variances, diagnosed faults, alarm messages and mailing actions. By presenting web-based data, these key performance indicators are remotely available to you anywhere in the world with Internet access.







B&W's UNICO system analyzes critical operating performance data on virtually any wet or dry cooling system.

# **BENEFITS**

The unique UNICO online monitoring system can yield direct benefits in the following areas:

- Optimized equipment performance and output
- ▶ Reduced or avoided unscheduled shutdowns
- Reduced or avoided damage to ancillary equipment which may result from cooling system component failure
- Enhanced spare parts inventory control
- Improved operator safety

### **Features**


- Converts data in engineering units
- ▶ Stores data with the data logger function
- Wireless data transmission
- ▶ Modbus RTU-BUS data transmission
- ► Connected by cable directly to a PLC or DCS
- ► Low power consumption
- Battery power supply or solar panel
- ▶ 12-24-48 volt DC; 110-230 volt AC external supply (advised)
- Alarm alert
- Maintenance software
- ▶ Online web client

### **UNICO** Certifications

IP 68 @ 1 meter depth IEC 721-3-4 class 4M4

### UNICO complies with:

ATEX II 2 GD Exdia IIC T5/T6 Ex TD A21 INMETRO



### Instrument Connection

## All instruments are compatible with the UNICO system

- ► Features input signals: ohm, volt, 4-20 mA, impulse (Hz)
- ▶ 12-24 volt DC out

### **Typical instruments**

- ▶ PT100 2-3-4 wires water, air, oil temperatures [°C]
- Accelerometer 4-20 mA to 0-20mm/s [RMS]
- Accelerometer 4 mv/mm/s dynamics signal [FFT]
- Oil level switch and vibration switch
- Anemometer for air velocity [m/s]
- ► Flow meter for water velocity [m/s]
- pH, redox, conductivity transducer
- Air and water pressure [mm bar, bar, or mm H<sub>2</sub>O
- Weight filling [kg]

SPECIFICATIONS	
Analogic input	8 programmable
Digital out	2 programmable
Alarm response time	1 second, with radio at 800 ms
Input channel	0-1000 mV , 0-10 volt-4-20 mA 0-1 M ohm impulse
Resolution	0.05%
Convert unit @32bit	mm/s, mBar,°C, mmV/g
Out interface	2.4Ghz Radio Tx Rx,RS232-RS485 LAN 802.3 Modbus TCP/IP
Power supply	12-48 Vdc -110 230 Vac
Electrical consumption	1A
Case	Aluminum model SA





The UNICO online system and software allows users to monitor, collect, analyze, and deliver critical information about your cooling system. You'll be better able to make operating decisions based on actual system data. The UNICO system is suitable to monitor virtually any wet or dry cooling system application.

# **About SPIG Cooling Systems**

SPIG S.p.A., a subsidiary of The Babcock & Wilcox Company, is an Italian-based global provider of custom-engineered cooling systems and services. Established in 1936, we have project-related operations in nearly 50 countries and employees located worldwide. We have been providing an increasingly extensive range of high-quality cooling towers, air-cooled condensers and related services.

#### **BRAZIL**

Rua Rangel Pestana, 533 – Conjunto 21 – Centro 13.201-903 Jundiaí/SP São Paulo, Brasil Ph. +55 11 4522 7434 Fax +55 11 4487-7009

### **CHINA**

Dongcun Industrial Park Dingxiang, Xinzhou Shanxi China Ph. +86 35 03 323 223 Fax +86 35 03 323 208

### **INDIA**

608, Palmspring Link Road, Malad (W) Mumbai 400064 India Ph. +91 (22) 40 890 500 Fax +91 (22) 40 890 599

### **KOREA**

#702, 7th Floor Kangnamofficetel, 40 Seocho-Daero, 73-Gil Seocho-gu Seoul 137-857 Korea Ph. + 82 (10) 3248 6489

#### U.A.E.

P O Box 16950 Jafza 15, Office No 15423 Dubai, United Arab Emirates Ph. +971 4 881 7202 Fax +971 4 881 7223

# SPIG S.p.A.

Via Borgomanero 34, 28040 Paruzzaro, NO ITALY

Phone: +39 0322.245401

### www.babcock.com/spig









The information contained herein is provided for general information purposes only and is not intended nor to be construed as a warranty, an offer, or any representation of contractual or other legal responsibility.

UNICO is a trademark of SPIG S.p.A.



RENEWABLE | ENVIRONMENTAL | THERMAL

SPIG S.p.A. is a subsidiary of The Babcock & Wilcox Company (B&W). Established in 1867, Babcock & Wilcox is a global leader in renewable, environmental and thermal technologies and services for power and industrial applications.

For more information or to contact us, visit our website at www.babcock.com.